




LIFT CARS
ASANSÖR KABİNLERİ

ECOLINE
ISOLINE
CITYLINE
SPECIALINE

EXCELLENCE IN COMPONENTS





Characteristics

- Suitable for Lifts designed according to 95/16 EC Lift Directive and EN 81 Standards.
- Dimensions according to ISO 4190 Norms.
- Availability of Rated loads from 320 Kg to 5000 Kg.
- High quality level of finishings.
- Standard or special dimensions & material availability.
- Modular easy-to-assemble design from inside, reduced number of screws and special fixing solutions.
- Car door alignment possibility with step of 25 mm.
- Possibility of adapting horizontal COP for handicaps.
- Prewiring included for lighting.
- Reduced delivery times.
- Easy to deliver, transport and handling.
- Detailed assembly instructions.
- Patented Design.

Özellikler

- EN 81 (TS10922) standartlarına ve 95 /16 AT Asansör Direktifine uygun tasarımlar.
- ISO 4190 (TS 8237) standartlarına uygun ölçüler.
- 320 Kg'dan 5000 Kg'a kadar beyan yükü için çözümler.
- Yüksek üretim kalitesi.
- Standart veya özel ölçü ve malzeme imkanı.
- Minimum cıvata adedi ve özel bağlantı sistemleri sayesinde içten, kolay ve kısa sürede kurulabilen modüler tasarım.
- 25 mm aks aralıklarıyla uygulanabilen kabin kapı yerleşimi.
- Özürlüler için özel yatay kabin kumanda kasedi.
- Aydınlatma için tesisat.
- Seri ve endüstriyel imalat, kısa teslim süreleri.
- Kolay sevkiyat, nakliye ve stoklama.
- Detaylı montaj kılavuzu.
- Patentli tasarım.

• No part of this publication may be reproduced or translated, even in part without prior written permission from Wittur Ltd. Car designs protected by the Art and Intellectual law article's.

• Bu dökümanın veya içinde yer alanların kısmen veya tamamen, Wittur Ltd'nin yazılı izni olmaksızın kopyalanması, çoğaltılması veya yayınlanması yasaktır. Kabin tasarımları, Fikir ve Sanat Eserleri Kanunu kapsamında korunmaktadır.

Types & ISO 4190 Lift Classes

Tipler ve ISO 4190 Asansör Sınıfları

| RATED LOAD BEYAN YÜKÜ | | NR. OF PERSON kişi SAYISI | WIDTH GENİŞLİK | DEPTH DERİNLİK | AREA ALAN | CLASS I | CLASS II | CLASS III | CLASS IV | CLASS VI | TORONTO | ROTTERDAM | AMSTERDAM | ROMA | TEXAS | COPENHAGEN | ORLANDO | BONN | BOSTON | LOS ANGELES | ISTANBUL | BERLIN | ATLANTA | HOUSTON | MONTE CARLO | MANHATTAN | MUNICH |
|--------------------------|------|------------------------------------|-------------------|-------------------|--------------|---------|----------|-----------|----------|----------|---------|-----------|-----------|------|-------|------------|---------|------|--------|-------------|----------|--------|---------|---------|-------------|-----------|--------|
| Kg | Type | | CIW mm | CID mm | | | | | | | | | | | | | | | | | | | | | | | |
| 320 | R | 4 | 900 | 1000 | 0,90 | ● | ● | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 400 | S | 5 | 1100 | 1000 | 1,10 | ● | ● | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 450 | L | 6 | 1000 | 1200 | 1,20 | ● | ● | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 630 | G | 8 | 1100 | 1400 | 1,54 | ● | ● | | ○ | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 800 | G | 10 | 1350 | 1400 | 1,89 | ● | ● | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 1000 | T | 13 | 1100 | 2100 | 2,31 | ● | ● | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 1000 | F | 13 | 1300 | 1750 | 2,28 | | | | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 1000 | G | 13 | 1600 | 1400 | 2,24 | ● | ● | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 1000 | L | 13 | 1750 | 1300 | 2,28 | ● | ● | | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 1275 | H | 16 | 1200 | 2300 | 2,76 | | ● | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 1275 | G | 16 | 2000 | 1400 | 2,80 | ● | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 1600 | H | 21 | 1400 | 2400 | 3,36 | | ● | ● | ○ | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 1600 | G | 21 | 2100 | 1600 | 3,36 | | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 1800 | G | 24 | 2350 | 1600 | 3,76 | | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 2000 | H | 26 | 1500 | 2700 | 4,05 | | ● | ● | ○ | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 2000 | G | 26 | 2350 | 1700 | 4,00 | | ● | | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 2500 | H | 33 | 1800 | 2700 | 4,86 | | ● | ● | ○ | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 3500 | F | 47 | 2100 | 3000 | 6,30 | | | | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |
| 5000 | F | 67 | 2500 | 3500 | 8,75 | | | | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● |

○

ONLY AVAILABLE FOR TORONTO, ROTTERDAM, AMSTERDAM, ROMA AND TEXAS TYPES / SADECE TORONTO, ROTTERDAM, AMSTERDAM, ROMA AND TEXAS TİPLERİNDE MEVCUTTUR.

| | |
|-----------|---|
| SINIF I | İnsan taşımak amacıyla tasarlanmış asansörler |
| CLASS I | Lifts designed for the transport of persons |
| SINIF II | Esas olarak insan taşımak amacıyla tasarımılanan; ancak gerektiğinde yük de taşınabilen asansörler |
| CLASS II | Lifts designed mainly for the transport of persons but in which goods may be carried. |
| SINIF III | Hastahaneler ve sağlık evleri dahil, sağlık amaçları için tasarımılanmış asansörler |
| CLASS III | Lifts designed for health-care purposes, including hospitals and nursing homes. |
| SINIF IV | Esas olarak yüklerin, genellikle şahıslar refakatinde taşınması için tasarımılanmış asansörler |
| CLASS IV | Lifts designed mainly for the transport of goods (freight) which are generally accompanied by persons |
| SINIF VI | Özellikle yoğun trafiği olan binalar için tasarımılanmış asansörler, mesela hızları 2,5 m/s ve daha fazla olan asansörler |
| CLASS VI | Lifts especially designed to suit buildings with intensive traffic, i.e. lifts with speeds 2,5 m/s and above |

ISO 4190 Lift Classes & Ecoline Car Dimensions
ISO 4190 Asansör Sınıfları ve Ecoline Kabin ölçüleri

| RATED LOAD / BEYAN YÜKÜ | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F |
|--|--------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| PASSENGER / YOLCU | | 4 | 5 | 6 | 8 | 10 | 13 | 13 | 13 | 13 | 16 | 16 | 21 | 21 | 24 | 26 | 26 | 33 | 47 | 67 |
| CAR INTERNAL WIDTH KABİN İÇ GENİŞLİĞİ | CIW | 900 | 1100 | 1000 | 1100 | 1350 | 1100 | 1300 | 1600 | 1750 | 1200 | 2000 | 1400 | 2100 | 2350 | 1500 | 2350 | 1800 | 2100 | 2500 |
| CAR INTERNAL DEPTH KABİN İÇ DERİNLİĞİ | CID | 1000 | 1000 | 1200 | 1400 | 1400 | 2100 | 1750 | 1400 | 1300 | 2300 | 1400 | 2400 | 1600 | 1600 | 2700 | 1700 | 2700 | 3000 | 3500 |
| CAR INTERNAL HEIGHT KABİN İÇ YÜKSEKLİĞİ | CIH ₂ | 2310 | 2310 | 2310 | 2310 | 2310 | 2310 | 2310 | 2310 | 2310 | 2410 | 2410 | 2410 | 2410 | 2410 | 2410 | 2410 | 2510 | 2510 | 2510 |
| CAR INTERNAL HEIGHT KABİN İÇ YÜKSEKLİĞİ | CIH ₃ | 2150 | 2150 | 2150 | 2150 | 2150 | 2150 | 2150 | 2150 | 2150 | 2250 | 2250 | 2250 | 2250 | 2250 | 2250 | 2250 | 2350 | 2350 | 2350 |
| CAR EXTERNAL WIDTH KABİN DIŞ GENİŞLİĞİ | CEW | 963 | 1163 | 1063 | 1163 | 1413 | 1163 | 1363 | 1663 | 1813 | 1263 | 2063 | 1463 | 2163 | 2413 | 1563 | 2413 | 1863 | 2163 | 2563 |
| CAR EXTERNAL DEPTH KABİN DIŞ DERİNLİĞİ | CED | 1082 | 1082 | 1282 | 1482 | 1482 | 2182 | 1832 | 1482 | 1382 | 2382 | 1482 | 2482 | 1682 | 1682 | 2782 | 1782 | 2782 | 3082 | 3582 |
| CAR EXTERNAL HEIGHT KABİN DIŞ YÜKSEKLİĞİ | CEH | 2370 | 2370 | 2370 | 2370 | 2370 | 2370 | 2370 | 2370 | 2370 | 2470 | 2470 | 2470 | 2470 | 2470 | 2470 | 2470 | 2570 | 2570 | 2570 |
| ENTRANCE SIDE WIDTH - L GİRİŞ YAN - SOL | EWL | 100 | 150 | 100 | 150 | 275 | 100 | 100 | 250 | 325 | 50 | 450 | 50 | 400 | 525 | 100 | 525 | 50 | 50 | 50 |
| ENTRANCE SIDE WIDTH - R GİRİŞ YAN - SAĞ | EWR | 100 | 150 | 100 | 150 | 275 | 100 | 100 | 250 | 325 | 50 | 450 | 50 | 400 | 525 | 100 | 525 | 50 | 50 | 50 |
| CAR DOOR WIDTH KABİN KAPI GENİŞLİĞİ | PL | 700 | 800 | 800 | 800 | 800 | 900 | 1100 | 1100 | 1100 | 1100 | 1100 | 1300 | 1300 | 1300 | 1300 | 1300 | 1700 | 2000 | 2400 |
| CAR DOOR HEIGHT KABİN KAPI YÜKSEKLİĞİ | LH | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2000 | 2100 | 2100 | 2100 | 2100 | 2100 | 2100 | 2100 | 2300 | 2300 | 2300 |
| CAR DOOR FIXING HEIGHT K.KAPI MONTAJ YÜKSEKLİĞİ | HS | 2330 | 2330 | 2330 | 2330 | 2330 | 2330 | 2330 | 2330 | 2330 | 2430 | 2430 | 2430 | 2430 | 2430 | 2430 | 2430 | 2530 | 2530 | 2530 |
| C.O.P. DISTANCE KABİN BUTONYER UZAKLIĞI | OPD | 288 | 288 | 288 | 288 | 288 | 288 | 288 | 288 | 288 | 323 | 288 | 333 | 288 | 288 | 366 | 288 | 366 | 388 | 388 |
| CAR SLING FIXING AXIS KARKAS BAĞLANTI AKSI | CSF | 900 | 1100 | 1000 | 1100 | 1350 | 1100 | 1300 | 1600 | 1750 | 1200 | 2000 | 1400 | 2100 | 2350 | 1500 | 2350 | 1800 | 2100 | 2500 |
| DISTANCE BETWEEN GUIDES RAY ARASI (Minimum) | DBG _{min} | 1020 | 1220 | 1120 | 1220 | 1470 | 1220 | 1420 | 1720 | 1870 | 1320 | 2120 | 1520 | 2220 | 2470 | 1620 | 2470 | 1960 | 2260 | 2660 |
| DISTANCE BETWEEN GUIDES RAY ARASI (Standard) | DBG _{std} | 1030 | 1230 | 1130 | 1230 | 1480 | 1230 | 1430 | 1730 | 1880 | 1330 | 2130 | 1530 | 2230 | 2480 | 1630 | 2480 | 1970 | 2270 | 2670 |

CAR DOOR AXIS POSITION CAN BE CHANGEABLE WITH 25 mm STEPS.

KABİN KAPISI AKSI, KABİN AKSINDAN 25 mm KATLARI OLARAK FARKLI OLABİLİR.

FOR ECOLINE AND ISOLINE CARS, MINIMUM "EWL" OR "EWR" DIMENSION IS 25 mm.

ECOLINE VE ISOLINE KABİNLERDE, "EWL" VEYA "EWR" ÖLÇÜSÜ MİNİMUM 25 mm.

CAR INTERNAL HEIGHT " CIH / ISO " DEFINED IN ISO 4190 STANDARD AND DEFINITIVE SIZE FOR PRODUCTION.

KABİN İÇ YÜKSEKLİK ÖLÇÜSÜ " CIH / ISO " ÜRETİME ESAS DEĞER OLUP ISO 4190 STANDARDINA UYGUNDUR.


CAR INTERNAL HEIGHT " CIH / MIN " DIMENSION IS MINIMUM AND ONLY FOR INFORMATION.

KABİN İÇ YÜKSEKLİK ÖLÇÜSÜ " CIH / MIN " MİNİMUM DEĞER OLUP SADECE BİLGİ VERMEK İÇİNDİR.


ABOVE CAR DIMENSIONS FOR ECOLINE AND ISOLINE CAR SERIES AND CAN BE USED FOR CITYLINE AND SPECIALINE SERIES.

ÜSTTE VERİLEN KABİN ÖLÇÜLERİ ECOLINE VE ISOLINE SERİLERİ İÇİN OLUP CITYLINE VE SPECIALINE SERİLERİ İÇİNDE KULLANILABİLİR.


Ecoline & Isoline Car Sizes
Ecoline & Isoline Kabin Ölçüleri




Ecoline & Isoline Car Sizes
Ecoline & Isoline Kabin Ölçüleri



Ecoline & Isoline Car Sizes
Ecoline & Isoline Kabin Ölçüleri





Cityline

- CIW and CID Dimensions are changeable within limits of Car Internal Area (CIA), with steps of 50 mm.
CIW ve CID Ölçüleri Kabin alanı (CIA) aynı kalmak şartıyla ve 50 mm adım aralıklarıyla değişebilir.
- Maximum Car Internal Width (CIW) can be equal to maximum Car Internal Depth (CID) and vice versa.
Kabin İç Genişliği(CIW), en fazla Kabin İç Derinliği (CID) veya Kabin İç Derinliği (CID), en fazla Kabin İç Genişliği(CIW) olabilir.
- Material specifications like colors and textures are changeable only with similar materials.
Tanımlanmış kaplama malzemeleri, fiyat farkı getirmeyen aynı grup malzemeyle fiyat farkı olmadan değiştirilebilir.

Specialine

- Are Produced specially according to the demands of the customers and do not exist in the standard series.
Müşteri talepleri doğrultusunda özel olarak üretilen ve diğer serilerde yer almayan kabinlerdir.
- Can be produced according to the dimensions and details within permitted limits of the standards and technological possibilities.
Uluslararası Standartların ve teknolojik imkanların izin verdiği özel ölçülerde ve detaylarda üretilebilir.
- Can be produced by using materials specially designed for customers or suitable to customers's own components.
Müşteriye özel aksamlar kullanılarak veya müşterinin aksamlarına uyumlu olarak üretilebilir.

Car Descriptions

| Parts | CODE | MATERIAL / DESCRIPTION | TORONTO | ROTTERDAM | AMSTERDAM | ROMA | TEXAS | COPENHAGEN | ORLANDO | BONN | BOSTON | LOS ANGELES | ISTANBUL | BERLIN | ATLANTA | HOUSTON | MONTE CARLO | MANHATTAN | MUNICH | |
|-------------|----------|--|---------|-----------|-----------|------|-------|------------|---------|------|--------|-------------|----------|--------|---------|---------|-------------|-----------|--------|---|
| | | | | | | | | | | | | | | | | | | | | |
| Wall Panels | 02-3010 | Stainless Steel / Brushed / GP 320 N | | | • | | | • | | | | | | | | • | | • | | |
| | 02-0009 | Stainless Steel / Rhombous | | | | | | | | | | | • | | | | | | | |
| | 02-0008 | Stainless Steel / Linen | | | | | | | | | | • | | | | | | | | |
| | 03-3023 | Stainless Steel / Titanium Gold Mirror | | | | | | | | | | | | | | | | | • | |
| | 30-0100 | Laminate / HGL / Galaxy White | | | | | | | | | | | | | | | | | | • |
| | 10-3002 | Laminate / PVC / Mahogany | | | | • | | | | | | | | | | | | | | |
| | 30-4206 | Laminate / HPL / Maple | | | | | | | | | | | | | • | | | | | |
| | 30-4252 | Laminate / HPL / Rose | | | | | | | | | | • | | | | | | | | |
| | 10-3006 | Laminate / PVC / Cherry | | | | | | | | | • | | | | | | | | | |
| | 10-3008 | Laminate / PVC / Oak | | | | | | | | • | | | | | | | | | | |
| | 10-3004 | Laminate / PVC / Leather | | | | | • | | | | | | | | | | | | | |
| | 10-3010 | Laminate / PVC / RAL 9006 Silver | | • | | | | | | | | | | | | | | | | |
| | 30-4920 | Laminate / HPL / Metallic Line | | | | | | | | | | | | | | • | | | | |
| | 90-5018 | Laminated Glass / Opaque Blue | | | | | | | | | | | | | | | | • | | |
| | 16-7032 | Electrostatic Powder Paint / RAL 7032 | • | | | | | | | | | | | | | | | | | |
| Profiles | 02-3010 | Stainless Steel / Brushed / GP 320 N | • | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | | • |
| | 02-0004 | Stainless Steel / Super Mirror | | | | | | | | | | • | | | | | | | | |
| | 03-3023 | Stainless Steel / Titanium Gold Mirror | | | | | | | | | | | | | | | | | • | |
| Handrail | 90-0019 | ø 38 mm Brushed Stainless Steel | • | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | | • |
| | 90-0022 | ø 38 mm Gold Plated | | | | | | | | | | | | | | | | | | • |
| | 90-0017 | ø 38 mm Polished Stainless Steel | | | | | | | | | | • | | | | | | | | |
| Mirror | 90-0005 | Float Mirror / Standard | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | | • |
| | 90-0006 | Float Mirror / Bronze | | | | | | | | | • | | | | | | | | | |
| Ceiling | 02-3010 | Stainless Steel / Brushed / GP 320 N | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| | 02-0004 | Stainless Steel / Super Mirror | | | | | | | | | | | | | | | | | | |
| Lighting | Indirect | Plexiglass & Fluorescent | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | | • |
| | Direct | Spot / Mini Halogen / Chrome Plated | | | | | | | | | • | | | | | | | | | |
| | Direct | Spot / Mini Halogen / Gold plated | | | | | | | | | | | | | | | | | | • |
| Kickplate | 02-3010 | Stainless Steel / Brushed / GP 320 N | • | • | • | • | • | • | • | • | • | | • | • | • | • | • | | | • |
| | 02-0004 | Stainless Steel / Super Mirror | | | | | | | | | | • | | | | | | | | |
| | 03-3023 | Stainless Steel / Titanium Gold Mirror | | | | | | | | | | | | | | | | | • | • |
| Floor | 90-0003 | Granite / Natural / Blue Pearl | | | | | | | | | | • | • | • | • | • | • | | | |
| | 90-0001 | Granite / Natural / Bianco Sardo | | | | | | | | | | | | | | | | | | |
| | 90-0002 | Granite / Natural / Rosso Balmoral | | | | | | | | | • | | | | | | | | • | |
| | 90-0004 | Granite / Natural / Star Galaxy | | | | | | | | | | | | | | | | | | • |
| | 90-0007 | Granite Ceramic / Dark Gray | | | | • | • | | | • | | | | | | | | | | |
| | 90-6484 | Linoleum / Antrasit 86484 | | • | • | | | • | | | | | | | | | | | | |
| | 90-0008 | PVC / Black Dotted | • | | | | | | • | | | | | | | | | | | |

Kabin Tanımları

| Kabin Aksamı | KOD | MALZEME / AÇIKLAMA | TORONTO | ROTTERDAM | AMSTERDAM | ROMA | TEXAS | COPENHAGEN | ORLANDO | BONN | BOSTON | LOS ANGELES | ISTANBUL | BERLIN | ATLANTA | HOUSTON | MONTE CARLO | MANHATTAN | MUNICH | |
|--------------|----------|---------------------------------------|---------|-----------|-----------|------|-------|------------|---------|------|--------|-------------|----------|--------|---------|---------|-------------|-----------|--------|--|
| | | | | | | | | | | | | | | | | | | | | |
| Paneller | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N | | | • | | | • | | | | | | | | • | | • | | |
| | 02-0009 | Paslanmaz Çelik / Çapraz Kareli | | | | | | | | | | | • | | | | | | | |
| | 02-0008 | Paslanmaz Çelik / Keten | | | | | | | | | | • | | | | | | | | |
| | 03-3023 | Paslanmaz Çelik / Titanyum Altın Ayna | | | | | | | | | | | | | | | | | • | |
| | 30-0100 | Laminat / HPL / Galaxy Beyaz | | | | | | | | | | | | | | | | | • | |
| | 10-3002 | Laminat / PVC / Maun | | | | • | | | | | | | | | | | | | | |
| | 30-4206 | Laminat / HPL / Akagaç | | | | | | | | | | | | | • | | | | | |
| | 30-4252 | Laminat / HPL / Gül | | | | | | | | | | • | | | | | | | | |
| | 10-3006 | Laminat / PVC / Kiraz | | | | | | | | | • | | | | | | | | | |
| | 10-3008 | Laminat / PVC / Meşe | | | | | | | | • | | | | | | | | | | |
| | 10-3004 | Laminat / PVC / Deri | | | | | | • | | | | | | | | | | | | |
| | 10-3010 | Laminat / PVC / RAL 9006 Gümüş | | • | | | | | | | | | | | | | | | | |
| | 30-4920 | Laminat / HPL / Metalik Çizgili | | | | | | | | | | | | | | • | | | | |
| | 90-5018 | Lamine Cam / Opak Mavi | | | | | | | | | | | | | | | | • | | |
| | 16-7032 | Elektrostatik Toz Boya / RAL 7032 | | • | | | | | | | | | | | | | | | | |
| Profiller | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N | • | • | • | • | • | • | • | • | • | | • | • | • | • | • | | • | |
| | 02-0004 | Paslanmaz Çelik / Süper Ayna | | | | | | | | | | • | | | | | | | | |
| | 03-3023 | Paslanmaz Çelik / Titanyum Altın Ayna | | | | | | | | | | | | | | | | | • | |
| Tutamak | 90-0019 | ø 38 mm Satine Paslanmaz Çelik | • | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | | |
| | 90-0022 | ø 38 mm Altın Kaplama | | | | | | | | | | | | | | | | | • | |
| | 90-0017 | ø 38 mm Ayna Paslanmaz Çelik | | | | | | | | | | • | | | | | | | | |
| Ayna | 90-0005 | Flotal Ayna / Standard | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • | |
| | 90-0006 | Flotal Ayna / Bronz | | | | | | | | | • | | | | | | | | | |
| Tavan | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| | 02-0004 | Paslanmaz Çelik / Süper Ayna | | | | | | | | | | | | | | | | | | |
| Aydınlatma | İndirekt | Plexiglass & Floresan | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | | |
| | Direkt | Mini Halogen / Krom Kaplama | | | | | | | | | • | | | | | | | | | |
| | Direkt | Mini Halogen / Altın Kaplama | | | | | | | | | | | | | | | | | • | |
| Süpürgelik | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N | • | • | • | • | • | • | • | • | • | | • | • | • | • | • | | | |
| | 02-0004 | Paslanmaz Çelik / Süper Ayna | | | | | | | | | | • | | | | | | | | |
| | 03-3023 | Paslanmaz Çelik / Titanyum Altın Ayna | | | | | | | | | | | | | | | | • | • | |
| Zemin | 90-0003 | Granit / Naturel / Blue Pearl | | | | | | | | | | • | • | • | • | • | • | | | |
| | 90-0001 | Granit / Naturel / Bianco Sardo | | | | | | | | | | | | | | | | | | |
| | 90-0002 | Granit / Naturel / Rosso Balmoral | | | | | | | | | • | | | | | | | • | | |
| | 90-0004 | Granit / Naturel / Star Galaxy | | | | | | | | | | | | | | | | | • | |
| | 90-0007 | Granit Seramik / Koyu Gri | | | | • | • | | | • | | | | | | | | | | |
| | 90-6484 | Linolyum / Antrasit 86484 | | • | • | | | • | | | | | | | | | | | | |
| | 90-0008 | PVC / Siyah Noktalı | • | | | | | | • | | | | | | | | | | | |

| TORONTO | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F | |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | ✓ | | | | | | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | ✓ | | ✓ | | | ✓ | | ✓ | | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | ✓ | | | ✓ | | | | | ✓ | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | ✓ | | ✓ | ✓ | | ✓ | | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|------------|---------------------------------------|
| WALL PANELS | 16-7032 | Electrostatic Powder Paint / RAL 7032 |
| ENTRANCE SIDES | 16-7032 | Electrostatic Powder Paint / RAL 7032 |
| PROFILES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| HAND RAIL | 90-0019 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | Plexiglass | Fluorescent |
| KICKPLATE | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| FLOOR | 90-6484 | Linoleum / Antrasit 86484 |
| C.O.P | | Car Operation Panel not included |

STANDARD KABIN MALZEMELERİ

| | | |
|---------------|------------|--------------------------------------|
| PANELLER | 16-7032 | Elektrostatik Toz Boya / RAL 7032 |
| GİRİS YANLARI | 16-7032 | Elektrostatik Toz Boya / RAL 7032 |
| PROFİLLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| TUTAMAK | 90-0019 | ø 38 mm Satine |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | Plexiglass | Floresan |
| SÜPÜRGEKİ | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| ZEMİN | 90-6484 | Linolyum / Antrasit 86484 |
| C.O.P | | Kabin Kumanda Paneli dahil değildir. |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| ROTTERDAM | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F | |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | ✓ | | | | | | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | ✓ | | ✓ | | | ✓ | | ✓ | | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | ✓ | | | ✓ | | | | | ✓ | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | ✓ | | ✓ | ✓ | | ✓ | | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|---------|--------------------------------------|
| WALL PANELS | 10-3010 | Laminat / PVC / RAL 9006 Silver |
| ENTRANCE SIDES | 10-3010 | Laminat / PVC / RAL 9006 Silver |
| PROFILES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| HAND RAIL | 90-0019 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | | Plexiglass Fluorescent |
| KICKPLATE | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| FLOOR | 90-6484 | Linoleum / Antrasit 86484 |
| C.O.P | | Car Operation Panel not included |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|---------|--------------------------------------|
| PANELLER | 10-3010 | Laminat / PVC / RAL 9006 Gümüş |
| GİRİS YANLARI | 10-3010 | Laminat / PVC / RAL 9006 Gümüş |
| PROFİLLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| TUTAMAK | 90-0019 | ø 38 mm Satine |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | | Plexiglass Floresan |
| SÜPÜRGEKİK | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| ZEMİN | 90-6484 | Linolyum / Antrasit 86484 |
| C.O.P | | Kabin Kumanda Paneli dahil değildir. |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVES, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| AMSTERDAM | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F | |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | ✓ | | | | | | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | ✓ | | ✓ | | | ✓ | | ✓ | | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | ✓ | | | ✓ | | | | | ✓ | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | ✓ | | ✓ | ✓ | | ✓ | | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|---------|--------------------------------------|
| WALL PANELS | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| ENTRANCE SIDES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| PROFILES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| HAND RAIL | 90-0019 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | | Plexiglass Fluorescent |
| KICKPLATE | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| FLOOR | 90-6484 | Linoleum / Antrasit 86484 |
| C.O.P | | Car Operation Panel not included |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|---------|--------------------------------------|
| PANELLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| GİRİS YANLARI | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| PROFİLLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| TUTAMAK | 90-0019 | ø 38 mm Satine |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | | Plexiglass Floresan |
| SÜPÜRGEKİ | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| ZEMİN | 90-6484 | Linolyum / Antrasit 86484 |
| C.O.P | | Kabin Kumanda Paneli dahil değildir. |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| ROMA | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F | |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | ✓ | | | | | | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | ✓ | | ✓ | | | ✓ | | ✓ | | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | ✓ | | | ✓ | | | | | ✓ | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | ✓ | | ✓ | ✓ | | ✓ | | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|---------|--------------------------------------|
| WALL PANELS | 10-3002 | Laminate / PVC / Mahogany |
| ENTRANCE SIDES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| PROFILES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| HAND RAIL | 90-0019 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | | Plexiglass Fluorescent |
| KICKPLATE | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| FLOOR | 90-0007 | Granite Ceramic / Dark Gray |
| C.O.P | | Car Operation Panel not included |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|---------|--------------------------------------|
| PANELLER | 10-3002 | Laminat / PVC / Maun |
| GİRİS YANLARI | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| PROFİLLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| TUTAMAK | 90-0019 | ø 38 mm Satine |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | | Plexiglass Floresan |
| SÜPÜRGEKİ | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| ZEMİN | 90-0007 | Granit Seramik / Koyu Gri |
| C.O.P | | Kabin Kumanda Paneli dahil değildir. |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| TEXAS | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F | |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | | ✓ | | | | | | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | ✓ | | ✓ | | | ✓ | | ✓ | | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | ✓ | | | ✓ | | | | | ✓ | | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | ✓ | | ✓ | ✓ | | ✓ | | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|---------|--------------------------------------|
| WALL PANELS | 10-3004 | Laminat / PVC / Deri |
| ENTRANCE SIDES | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| PROFILES | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| HAND RAIL | 90-0019 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| LIGHTING | | Plexiglass Floresan |
| KICKPLATE | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| FLOOR | 90-0007 | Granit Seramik / Koyu Gri |
| C.O.P | | Kabin Kumanda Paneli dahil değildir. |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|---------|--------------------------------------|
| PANELLER | 10-3004 | Laminat / PVC / Deri |
| GIRIS YANLARI | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| PROFİLLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| TUTAMAK | 90-0019 | ø 38 mm Satine |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | | Plexiglass Floresan |
| SÜPÜRGEK | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| ZEMİN | 90-0007 | Granit Seramik / Koyu Gri |
| C.O.P | | Kabin Kumanda Paneli dahil değildir. |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| COPENHAGEN | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | | | | | | | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | ✓ | | | ✓ | | | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | ✓ | | ✓ | | | ✓ | | | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | | | | | | | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|---------|--------------------------------------|
| WALL PANELS | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| ENTRANCE SIDES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| PROFILES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| HAND RAIL | 90-0017 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | | Plexiglass Fluorescent |
| KICKPLATE | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| FLOOR | 90-6484 | Linoleum / Antrasit 86484 |
| C.O.P | | Car Operation Panel not included |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|---------|--------------------------------------|
| PANELLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| GIRIS YANLARI | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| PROFİLLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| TUTAMAK | 90-0017 | ø 38 mm Satine |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | | Plexiglass Floresan |
| SÜPÜRGEKİ | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| ZEMİN | 90-6484 | Linolyum / Antrasit 86484 |
| C.O.P | | Kabin Kumanda Paneli dahil değildir. |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| ORLANDO | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F | |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | | | | | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | ✓ | | ✓ | | | ✓ | | | | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | ✓ | | ✓ | | | ✓ | | | | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | | | | | | | | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|---------|--------------------------------------|
| WALL PANELS | 10-3008 | Laminate / PVC / Oak |
| ENTRANCE SIDES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| PROFILES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| HAND RAIL | 90-0019 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | | Plexiglass Fluorescent |
| KICKPLATE | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| FLOOR | 90-0008 | PVC / Black Dotted |
| C.O.P | | Car Operation Panel not included |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|---------|--------------------------------------|
| PANELLER | 10-3008 | Laminat / PVC / Mese |
| GİRİS YANLARI | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| PROFİLLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| TUTAMAK | 90-0019 | ø 38 mm Satine |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | | Plexiglass Floresan |
| SÜPÜRGEKİK | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| ZEMİN | 90-0008 | PVC / Siyah Noktalı |
| C.O.P | | Kabin Kumanda Paneli dahil değildir. |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| BONN | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | | | | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | | | | | | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | | | | | | | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|----------------------------------|--------------------------------------|
| WALL PANELS | 10-3006 | Laminate / PVC / Cherry |
| ENTRANCE SIDES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| PROFILES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| HAND RAIL | 90-0019 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | Plexiglass | Fluorescent |
| KICKPLATE | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| FLOOR | 90-0007 | Granite Ceramic / Dark Gray |
| C.O.P | Car Operation Panel not included | |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|--------------------------------------|-------------------------------------|
| PANELLER | 10-3006 | Laminat / PVC / Kiraz |
| GİRİS YANLARI | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| PROFİLLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| TUTAMAK | 90-0019 | ø 38 mm Satine |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | Plexiglass | Floresan |
| SÜPÜRGEKİK | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| ZEMİN | 90-0007 | Granit Seramik / Koyu Gri |
| C.O.P | Kabin Kumanda Paneli dahil değildir. | |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| BOSTON | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | | | | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | | | | | | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | | | | | | | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|----------------------------------|--------------------------------------|
| WALL PANELS | 30-4252 | Laminate / HPL / Rose |
| ENTRANCE SIDES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| PROFILES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| HAND RAIL | 90-0019 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0006 | Float Mirror / Bronze |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | Spot | Mini Halogen / Chrome Plated |
| KICKPLATE | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| FLOOR | 90-0002 | Granite / Natural / Rosso Balmoral |
| C.O.P | Car Operation Panel not included | |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|--------------------------------------|-------------------------------------|
| PANELLER | 30-4252 | Laminat / HPL / Gül |
| GİRİS YANLARI | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| PROFİLLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| TUTAMAK | 90-0019 | ø 38 mm Satine |
| AYNA | 90-0006 | Flotal Ayna / Bronz |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | Spot | Mini Halogen / Krome |
| SÜPÜRGEKİK | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| ZEMİN | 90-0002 | Granit / Naturel / Rosso Balmoral |
| C.O.P | Kabin Kumanda Paneli dahil değildir. | |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| LOS ANGELES | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | | ✓ | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | | ✓ | | ✓ | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | ✓ | | ✓ | | | ✓ | | ✓ | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | ✓ | | ✓ | ✓ | | ✓ | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|------------|--------------------------------------|
| WALL PANELS | 02-0008 | Stainless Steel / Linen |
| ENTRANCE SIDES | 02-0008 | Stainless Steel / Linen |
| PROFILES | 02-0004 | Stainless Steel / Super Mirror |
| HAND RAIL | 90-0019 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | Plexiglass | Fluorescent |
| KICKPLATE | 02-0004 | Stainless Steel / Super Mirror |
| FLOOR | 90-0003 | Granite / Natural / Blue Pearl |
| C.O.P | | Car Operation Panel not included |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|------------|--------------------------------------|
| PANELLER | 02-0008 | Paslanmaz Çelik / Keten |
| GIRIS YANLARI | 02-0008 | Paslanmaz Çelik / Keten |
| PROFİLLER | 02-0004 | Paslanmaz Çelik / Süper Ayna |
| TUTAMAK | 90-0019 | ø 38 mm Satine |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | Plexiglass | Floresan |
| SÜPÜRGEKİK | 02-0004 | Paslanmaz Çelik / Süper Ayna |
| ZEMİN | 90-0003 | Granit / Naturel / Blue Pearl |
| C.O.P | | Kabin Kumanda Paneli dahil değildir. |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| İSTANBUL | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | | ✓ | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | | ✓ | | ✓ | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | ✓ | | ✓ | | | ✓ | | ✓ | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | ✓ | | ✓ | ✓ | | ✓ | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|------------|--------------------------------------|
| WALL PANELS | 02-0009 | Stainless Steel / Rhombous |
| ENTRANCE SIDES | 02-0009 | Stainless Steel / Rhombous |
| PROFILES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| HAND RAIL | 90-0019 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | Plexiglass | Fluorescent |
| KICKPLATE | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| FLOOR | 90-0003 | Granite / Natural / Blue Pearl |
| C.O.P | | Car Operation Panel not included |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|------------|--------------------------------------|
| PANELLER | 02-0009 | Paslanmaz Çelik / Çapraz Kareli |
| GİRİS YANLARI | 02-0009 | Paslanmaz Çelik / Çapraz Kareli |
| PROFİLLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| TUTAMAK | 90-0019 | ø 38 mm Satine |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | Plexiglass | Floresan |
| SÜPÜRGEKİK | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| ZEMİN | 90-0003 | Granit / Naturel / Blue Pearl |
| C.O.P | | Kabin Kumanda Paneli dahil değildir. |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| BERLIN | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F | |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | | | | | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | | | | | | | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | | | | | | | | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|---------|--------------------------------------|
| WALL PANELS | 30-4206 | Laminate / HPL / Maple |
| ENTRANCE SIDES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| PROFILES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| HAND RAIL | 90-0019 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | | Plexiglass Fluorescent |
| KICKPLATE | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| FLOOR | 90-0003 | Granite / Natural / Blue Pearl |
| C.O.P | | Car Operation Panel not included |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|---------|--------------------------------------|
| PANELLER | 30-4206 | Laminat / HPL / Akagaç |
| GİRİS YANLARI | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| PROFİLLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| TUTAMAK | 90-0019 | ø 38 mm Satine |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | | Plexiglass Floresan |
| SÜPÜRGEKİK | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| ZEMİN | 90-0003 | Granit / Naturel / Blue Pearl |
| C.O.P | | Kabin Kumanda Paneli dahil değildir. |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| ATLANTA | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | | | | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | | | | | | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | | | | | | | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|----------------------------------|--------------------------------------|
| WALL PANELS | 30-4920 | Laminate / HPL / Metallic Line |
| ENTRANCE SIDES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| PROFILES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| HAND RAIL | 90-0019 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | Plexiglass | Fluorescent |
| KICKPLATE | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| FLOOR | 90-0003 | Granite / Natural / Blue Pearl |
| C.O.P | Car Operation Panel not included | |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|--------------------------------------|-------------------------------------|
| PANELLER | 30-4920 | Laminat / HPL / Metalik Çizgili |
| GİRİS YANLARI | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| PROFİLLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| TUTAMAK | 90-0019 | ø 38 mm Satine |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | Plexiglass | Floresan |
| SÜPÜRGEKİK | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| ZEMİN | 90-0003 | Granit / Naturel / Blue Pearl |
| C.O.P | Kabin Kumanda Paneli dahil değildir. | |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| HOUSTON | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | | ✓ | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | | ✓ | | ✓ | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | ✓ | | ✓ | | | ✓ | | ✓ | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | ✓ | | ✓ | ✓ | | ✓ | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|---------|--------------------------------------|
| WALL PANELS | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| ENTRANCE SIDES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| PROFILES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| HAND RAIL | 90-0019 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | | Plexiglass Fluorescent |
| KICKPLATE | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| FLOOR | 90-0003 | Granite / Natural / Blue Pearl |
| C.O.P | | Car Operation Panel not included |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|---------|--------------------------------------|
| PANELLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| GIRIS YANLARI | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| PROFİLLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| TUTAMAK | 90-0019 | ø 38 mm Satine |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | | Plexiglass Floresan |
| SÜPÜRGEKİK | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| ZEMİN | 90-0003 | Granit / Naturel / Blue Pearl |
| C.O.P | | Kabin Kumanda Paneli dahil değildir. |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| MONTE CARLO | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | | | | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | | | | | | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | | | | | | | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|------------|--------------------------------------|
| WALL PANELS | 90-5018 | Laminated Glass / Opaque Blue |
| ENTRANCE SIDES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| PROFILES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| HAND RAIL | 90-0017 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | Plexiglass | Fluorescent |
| KICKPLATE | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| FLOOR | 90-0003 | Granite / Natural / Blue Pearl |
| C.O.P | | Car Operation Panel not included |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|------------|--------------------------------------|
| PANELLER | 90-5018 | Lamine Cam / Opak Mavi |
| GIRIS YANLARI | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| PROFİLLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| TUTAMAK | 90-0017 | ø 38 mm Satine |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | Plexiglass | Floresan |
| SÜPÜRGEKİK | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| ZEMİN | 90-0003 | Granit / Naturel / Blue Pearl |
| C.O.P | | Kabin Kumanda Paneli dahil değildir. |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| MANHATTAN | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | | ✓ | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | ✓ | | | ✓ | | ✓ | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | ✓ | | ✓ | | | ✓ | | ✓ | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | ✓ | | ✓ | ✓ | | ✓ | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|---------|---|
| WALL PANELS | 02-3010 | Stainless Steel / Brushed + Gold Mirror |
| ENTRANCE SIDES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| PROFILES | 03-3023 | Stainless Steel / Titanium Gold Mirror |
| HAND RAIL | 90-0019 | ø 38 mm Brushed Stainless Steel |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | | Plexiglass Fluorescent |
| KICKPLATE | 03-3023 | Stainless Steel / Titanium Gold Mirror |
| FLOOR | 90-0002 | Granite / Natural / Rosso Balmoral |
| C.O.P | | Car Operation Panel not included |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|---------|---------------------------------------|
| PANELLER | 02-3010 | Paslanmaz Çelik / Satine + Altın |
| GİRİS YANLARI | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| PROFİLLER | 03-3023 | Paslanmaz Çelik / Titanyum Altın Ayna |
| TUTAMAK | 90-0019 | ø 38 mm Satine |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | | Plexiglass Floresan |
| SÜPÜRGEKİ | 03-3023 | Paslanmaz Çelik / Titanyum Altın Ayna |
| ZEMİN | 90-0002 | Granit / Naturel / Rosso Balmoral |
| C.O.P | | Kabin Kumanda Paneli dahil değildir. |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.

| MUNICH | | 320R | 400 S | 450 L | 630 G | 800 G | 1000 T | 1000 F | 1000 G | 1000 L | 1275 H | 1275 G | 1600 H | 1600 G | 1800 G | 2000 H | 2000 G | 2500 H | 3500 F | 5000 F |
|----------------------|----------------------|------|-------|-------|-------|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| ISO 4190 - Class I | ISO 4190 - Sınıf I | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | | | | | | | |
| ISO 4190 - Class II | ISO 4190 - Sınıf II | ✓ | ✓ | ✓ | ✓ | ✓ | | | ✓ | | | | | | | | | | | |
| ISO 4190 - Class III | ISO 4190 - Sınıf III | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class IV | ISO 4190 - Sınıf IV | | | | | | | | | | | | | | | | | | | |
| ISO 4190 - Class VI | ISO 4190 - Sınıf VI | | | | | | | | | | | | | | | | | | | |



STANDARD CAR INTERIOR MATERIALS

| | | |
|----------------|----------------------------------|--|
| WALL PANELS | 30-0100 | Laminate / HGL / Galaxy White |
| ENTRANCE SIDES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| PROFILES | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| HAND RAIL | 90-0022 | ø 38 mm Gold Plated |
| MIRROR | 90-0005 | Float Mirror / Standard |
| CEILING | 02-3010 | Stainless Steel / Brushed / GP 320 N |
| LIGHTING | Spot | Mini Halogen / Gold plated |
| KICKPLATE | 03-3023 | Stainless Steel / Titanium Gold Mirror |
| FLOOR | 90-0004 | Granite / Natural / Star Galaxy |
| C.O.P | Car Operation Panel not included | |

STANDARD KABIN KAPLAMA MALZEMELERİ

| | | |
|---------------|--------------------------------------|---------------------------------------|
| PANELLER | 30-0100 | Laminat / HPL / Galaxy Beyaz |
| GIRIS YANLARI | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| PROFİLLER | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| TUTAMAK | 90-0022 | ø 38 mm Altın Kaplama |
| AYNA | 90-0005 | Flotal Ayna / Standard |
| TAVAN | 02-3010 | Paslanmaz Çelik / Satine / GP 320 N |
| AYDINLATMA | Spot | Mini Halogen / Altın Kaplama |
| SÜPÜRGEKİK | 03-3023 | Paslanmaz Çelik / Titanyum Altın Ayna |
| ZEMİN | 90-0004 | Granit / Naturel / Star Galaxy |
| C.O.P | Kabin Kumanda Paneli dahil değildir. | |

| | | |
|------------|---------------------|---|
| ECOLINE | Economic / Ekonomik | ✓ |
| ISOLINE | Standard / Standard | ✓ |
| CITYLINE | Flexible / Esnek | ✓ |
| SPECIALINE | Special / Özel | ✓ |

PASSENGER CARS ARE MANUFACTURED ACCORDING TO LIFT DIRECTIVE, EN 81 STANDARDS & ISO 4190 RULES.

YOLCU KABİNLERİ ASANSÖR DİREKTİFİNE, EN 81 SERİSİ STANDARDLARA VE ISO 4190 TANIMLARINA UYGUNDUR.


Materials / Malzemeler




| | |
|---------|---|
| 02-3010 | Stainless Steel / Brushed / GP 320 N Paslanmaz Çelik / Satine / GP 320 N |
|---------|---|



| | |
|---------|--|
| 10-3010 | Laminate / PVC / RAL 9006 Silver Laminat / PVC / RAL 9006 Gümüş |
|---------|--|



| | |
|---------|---|
| 02-0009 | Stainless Steel / Rhombous Paslanmaz Çelik / Çapraz Kareli |
|---------|---|




| | |
|---------|--|
| 02-3020 | Stainless Steel / Austenit Paslanmaz Çelik / Austenit |
|---------|--|



| | |
|---------|--|
| 02-0008 | Stainless Steel / Linen Paslanmaz Çelik / Keten |
|---------|--|



| | |
|---------|---|
| 30-4920 | Laminate / HPL / Metallic Line Laminat / HPL / Metalik Çizgili |
|---------|---|



| | |
|---------|--|
| 02-0004 | Stainless Steel / Super Mirror Paslanmaz Çelik / Süper Ayna |
|---------|--|



| | |
|---------|---|
| 30-0100 | Laminate / HGL / Galaxy White Laminat / HPL / Galaxy Beyaz |
|---------|---|



| | |
|---------|---|
| 03-3023 | Stainless Steel / Titanium Gold Mirror Paslanmaz Çelik / Titanyum Altın Ayna |
|---------|---|




| | |
|---------|--|
| 30-4206 | Laminate / HPL / Maple Laminat / HPL / Akağaç |
|---------|--|


Materials / Malzemeler




| | |
|---------|----------------------|
| 10-3008 | Laminate / PVC / Oak |
| | Laminat / PVC / Mese |



| | |
|---------|----------------------------------|
| 90-0001 | Granite / Natural / Bianco Sardo |
| | Granit / Naturel / Bianco Sardo |




| | |
|---------|--------------------------|
| 10-3004 | Laminate / PVC / Leather |
| | Laminat / PVC / Deri |



| | |
|---------|------------------------------------|
| 90-0002 | Granite / Natural / Rosso Balmoral |
| | Granit / Naturel / Rosso Balmoral |



| | |
|---------|-------------------------|
| 10-3006 | Laminate / PVC / Cherry |
| | Laminat / PVC / Kiraz |



| | |
|---------|--------------------------------|
| 90-0003 | Granite / Natural / Blue Pearl |
| | Granit / Naturel / Blue Pearl |




| | |
|---------|-----------------------|
| 30-4252 | Laminate / HPL / Rose |
| | Laminat / HPL / Gül |



| | |
|---------|---------------------------------|
| 90-0004 | Granite / Natural / Star Galaxy |
| | Granit / Naturel / Star Galaxy |



| | |
|---------|---------------------------|
| 10-3002 | Laminate / PVC / Mahogany |
| | Laminat / PVC / Maun |




| | |
|---------|---------------------------|
| 90-6484 | Linoleum / Antrasit 86484 |
| | Linolyum / Antrasit 86484 |


Materials / Malzemeler



| | |
|---------|-----------------------------|
| 90-0007 | Granite Ceramic / Dark Gray |
| | Granit Seramik / Koyu Gri |



| | |
|---------|---------------------|
| 90-0008 | PVC / Black Dotted |
| | PVC / Siyah Noktalı |



| | |
|---------|---------------------------------------|
| 16-9005 | Electrostatic Powder Paint / RAL 9005 |
| | Elektrostatik Toz Boya / RAL 9005 |



| | |
|---------|---------------------------------------|
| 16-7032 | Electrostatic Powder Paint / RAL 7032 |
| | Elektrostatik Toz Boya / RAL 7032 |



| | |
|---------|-------------------------------|
| 90-5018 | Laminated Glass / Opaque Blue |
| | Lamine Cam / Opak Mavi |



| | |
|---------|---------------------------------------|
| 16-1013 | Electrostatic Powder Paint / RAL 1013 |
| | Elektrostatik Toz Boya / RAL 1013 |



| | |
|---------|-------------------------|
| 90-0005 | Float Mirror / Standard |
| | Flotal Ayna / Standard |



| | |
|---------|-----------------------|
| 90-0006 | Float Mirror / Bronze |
| | Flotal Ayna / Bronz |

* Printed Material Samples may have some differences than originals.

* Basılı Malzeme örnekleri orjinallerinden farklılık gösterebilir.

OPTIONS / İLAVELER

Ventilation Fan / Havalandırma fanı

Photocell / Fotosel

Emergency Lightning Battery Pack / Acil Aydınlatma

Electronic Load Control System / Elektronik Aşırı Yük

HI-FI Loudspeaker / HI-FI Hoparlör

Side Bumpers / Koruma Bandı

C.O.P Blank Panel / Kabin Kaset Kapağı

Emergency Trap / İmdat Kapağı

Safety Balustrade / Emniyet Korkuluğu

Anti-Slip Roof Cover / Emniyet Platform Tabanı

WITTUR GROUP PRODUCTS *WITTUR GRUP ÜRÜNLERİ*

Automatic Sliding Doors
Folding Doors
Hinged Doors
Gearless Drive Units
Hydraulic Drive Units
Hydraulic Cylinders
Passenger Lift Cars
Freight Lift Cars
Hospital Lift Cars
Panoramic Lift Cars
Fire Fighters Lift Cars
Car Slings
Counterweight Slings
Safety Gears
Overspeed Governors
Diverting Pulleys
COP's
LOP's
MRL Machine Roomless Lifts
Complete Lift Systems
Shaft Equipments
Accessoires

*Tam Otomatik Kapılar
Katlanabilir Kapılar
Yarım Otomatik Kapılar
Dişlisiz Makinalar
Hidrolik Güç Üniteleri
Hidrolik Silindirler
Yolcu Asansör Kabinleri
Yük Asansör Kabinleri
Hastahane Asansör Kabinleri
Panoramik Asansör Kabinleri
İtfaiyeci Kabinleri
Kabin Karkasları
Karşı Ağırlık Karkasları
Frenler
Hız Regülatörleri
Saptırma Kasnakları
Kabin Kumanda Panelleri
Kat Kumanda Kasetleri
Makina Dairesiz Asansörler
Komple Asansör Sistemleri
Kuyu Aksamları
Aksesuarlar*

EXCELLENCE IN COMPONENTS



Киев

Центральный офис

Украина, 03022,
ул. Васильковская, 34 оф. 328
Тел.: (044) 455-73-25
Факс: (044) 455-73-26
Моб.: (067) 408-43-13
e-mail: office@uvl.ua

Мариуполь

Региональный офис

Украина, 87518,
ул. Громовой, 63
Тел.: (0629) 41-05-56
Факс: (0629) 41-05-79
Моб.: (067) 541-44-92
e-mail: mariupol.lift@uvl.ua

Донецк

Региональный офис

Украина, 83102,
ул. Куйбышева, 73 оф. 307
Тел./Факс: (062) 345-37-02
Моб.: (067) 541-41-16
e-mail: donetsk.lift@uvl.ua

Севастополь

Региональный офис

Украина, 99011,
ул. Костомаровская, 1/46 оф. 48
Тел./Факс: (0692) 55-74-35
Моб.: (098) 570-73-00
e-mail: sevastopol.lift@uvl.ua